

120
YEARS

Shree Group Of Companies

Shree Group Of Companies

Shree Group Of Companies

Portable Diesel Compressors

160 - 1350 CFM



People. Passion. Performance.
Contact : 9300723311

 **Chicago
Pneumatic**

Benefits:

Contact : 9300723311

Assured operational uptime in the field.

Simple operation and robust safeguarding for both engine and compressor.

Effortless servicing and increased space availability on truck.

Tailored to fit compact trucks for water well drilling.



Convenient access to all service components.

Swift oil separator element replacement within an hour.

Reduced fuel usage and extended operational lifespan.

Features:

- Side-access service and centralized drain system.
- Extended-use fuel tank.
- Intuitive control panel.
- Compact design.
- High-efficiency screw element.
- Simplified Oil Separator Tank (Vessel Cover).
- User-friendly servicing.

Technical Data:

Contact : 9300723311

Model	Air flow (cfm)*	Working pressure (psig)	Max engine speed (rpm)	Capacity fuel tank (l)	Capacity Oil Capacity (l)	L x W x H (mm)	Dry Weight (kg)	Engine Make	Engine model	Engine (HP)			
CPS 160S	160	102	2700	37	11	2705 x 1500 x 1435	950	M & M	MDI 1895 B	40			
CPS 300-100	300	102	2300	100	19	Portable 3305 x 1680 x 1983 Skid Mounted 2175 x 1180 x 1529	1360	Ashok Leyland	AL W04D	80			
CPS 370-125	370	125	2400	100	22		1440		Hino	AL W04CT	111		
CPS 400-100	400	102	2400	100	22		1440						
CPS 400-150	425	150	2400	150	23.5	Portable 3600 x 1735 x 1825 Skid Mounted 2631 x1357 x 1580	Portable 1720 Skid Mounted 1520	Ashok Leyland	AL HA4CTI Inline FIP	130			
CPS 425-125	425	125	2400	150	23.5								
CPS 450-200	450	200	2200	190	35	Portable 3980 x 1960 x 2256 Skid Mounted 2985 x 1504 x 1919	Portable 2100 Skid Mounted 1890		AL UW6DTI	170			
CPS 500-175	500	175	2200	190	35								
CPS 550-150	550	150	2200	190	35								
CPS 650-100	650	102	2200	190	35								
CPS 550-200	550	200	2100	190	35							205	
CPS 575-225	575	225	1950	190	35						220		
CPS 850-290	850	290	1800	-	80	3360x1600x2370	3650			A6	315		
CPS 1000-275	1000	275	1800	-	72	Skid Mounted 3942 x 1600 x 2465	4100	Cummins	NTA855C-BC	395			
CPS 1100-300	1100	300	1800	-	72					415			
CPS 1200-330	1200	330	1900	-	72					430			
CPS 1350-425	1250	362/425	1950	-	80	3750x2102x2256	5318			KTA-1150-C	585		

Specification are subject to change, without prior notice

*according to ISO1217 ed.3 1996 annex D

Fuel Tank Available only for Portable Version



2/3/4/5/6 Jack Hammer Drilling Application
Sand Blasting / Surface Preparation Application
Ash Handling Application

CPS 300 - 100
CPS 400 - 100
CPS 650 - 100
CPS 550 - 150

Sand Blasting / Surface Preparation Application/ LD4 drilling application/ Shortcrete Application

CPS 370 - 125
CPS 400 - 150

Crawler Drilling Application for mining and stone quarry
Water Well Drilling application
For - 3" to 5.5" dia

CPS 450 - 200
CPS 500 - 175
CPS 550 - 150
CPS 550-200
CPS 575 - 225

Coal Overburden Removal

CPS 550-200
CPS 575-225
CPS 850-290

Water Well drilling Application - 6.5" to 12" dia

CPS 850 - 290
CPS 1100-300
CPS 1200-330
CPS 1350-425

Pigging Application
Reverse Circulation Drilling Application

CPS 550 - 200
CPS 850 - 290
CPS 1100-300

People. Passion. Performance.

Contact : 9300723311

LOCATION	MOBILE NUMBER	E-MAIL ID
Ahmedabad	95 4904 8482	ramakrishna.mishra@cp.com
Bangalore	84 8493 6902	jithin.chandran1@cp.com
Chennai	84 8493 6902	jithin.chandran1@cp.com
Gurgaon	84 2019 5843	biswajit.deb@cp.com
Kolkata	84 2019 5841	raju.sarma@cp.com
Pune	96 0790 6819	abhishek.shrivastav@cp.com
Ranchi	80 5187 0991	gaurav.pandey@cp.com
Hyderabad	77 0255 5320	mvn.raju@cp.com
Udaipur	95 4904 8482	ramakrishna.mishra@cp.com



Lloyd's
Register

ISO 9001:2015, ISO 45001:2018, ISO 14001:2015

For more information, please contact
your CP partner:

For Product enquiries: **cpcesales.india@cp.cpm**

For Service support : **cpceservice.india@cp.com**

Reach Us **@ 1800 120 110040**

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.