

INDIA'S #1 GENSET BRAND

Contact : 9300723311

15 - 160 kVA



India's first IoT enabled Genset

The Complete Power Back-up Solution

EFFICIENCY HAS A NEW NAME

Kirloskar
iGREEN

#iforTomorrow

Kirloskar iGreen

ASSURES A SAFE AND RELIABLE POWER BACKUP ECOSYSTEM



#iforTomorrow

What Kirloskar iGreen brings to you

Unmatched Convenience

AMF as standard offering

Ease Of Information

QR code enable genset

Genset At Your Fingertips

Remote monitoring as standard

Superior Looks

New attractive colour scheme

Improved Product Life

Bolt-less designed canopy

Single Point Of Ownership

Comprehensive warranty from Kirloskar Oil Engines

Remote Status Indicator

Multicolour genset status indicator

Space Saver

Silencer inside canopy with compact design

Contact : 9300723311

Kirloskar iGreen Power Back-Up Solution

Kirloskar iGreen presents India's only digital power back-up solution, designed for the users of tomorrow. Kirloskar iGreen promises world class performance with world class features such as robust design, digital connectivity, ultimate convenience of use, smart user interface, superior looks and one-stop solution for its esteemed customers.

Ultimate Convenience with AMF

Kirloskar iGreen gensets comes with an Auto Main Failure panel which are specifically designed to deliver ultimate convenience to user. With mains power failure, this panel automatically starts the genset and once the mains power is restored this panel switch off the genset, providing hassle free experience with running cost optimization. This ensures uninterrupted power supply all the time.




Genset Monitoring at Your Finger Tips

Kirloskar iGreen gensets are enabled with Kirloskar remote monitoring system which shares Real Time Genset information and location Services. It can be accessed via mobile device or desktop. Kirloskar remote monitoring system also highlights any parameter which needs special attention. These critical indication alerts are sent to user mobile via text message. It also alerts nearest services dealer in case of any emergency break-down.

QR Code Enabled Genset

Kirloskar iGreen gensets are first in the industry to introduce QR code enabled Genset. It provides genset relevant information to user on a single scan. This QR code can also be used for accessing product catalogue or raising product service requests. So now all the information of your genset is a scan away.



Status Indicator

Kirloskar iGreen gensets comes with a genset indicator which will help user understand the genset running status from a distance with just a glance. The genset status indicator is multicolour with each colour indicating a separate status of your genset. Green light indicates load is on Genset and blue light indicates that load is on mains power.



Aesthetically Enhanced Genset

Kirloskar iGreen Gensets are aesthetically enhanced range of gensets with improved product life. It comes with a bolt-less designed canopy which along with seamless appearance minimises the canopy deterioration. Placing the silencer inside the canopy ensure saving on space and make it more aesthetic. The new attractive colour scheme makes Kirloskar iGreen gensets more vibrant and green decals reminds of Kirloskar commitment to efficiency in conservation & going green in everything we do.



Single Point Of Ownership

Kirloskar iGreen provides a single point ownership of your complete power back-up ecosystem. These systems are designed to work in coherence with each other and hence are capable of providing a seamless experience to customers. With India's largest service network Kirloskar iGreen provides a comprehensive warranty for all components of your power back-up ecosystem.

Refuel and Relax, We will take care of your Genset

In addition to warranty, customers can choose a Comprehensive maintenance contract, ANUBANDH, in which Kirloskar promises to maintain your genset for 5years (or 6000hrs whichever is earlier). This specially designed package provides you hasslefree 24X7 services through well trained professionals, genuine spares and consumables directly through an agreement with Kirloskar. All you need to do is Refuel and Relax.



Prime Rating at rated rpm (as per ISO 8528) ¹	kVA	15	20	25	30
	kW	12	16	20	24
Genset Model		KG1-15ASE1	KG1-20WSE1	KG1-25WSE	KG1-30WSE
Frequency	Hz	50	50	50	50
Power factor	lagging	0.8	0.8	0.8	0.8
Voltage	V		230 (1Ø) & 415 (3Ø)		
Governing class (As per ISO 8528 Part-V)		G2	G2	G2	G2
Noise level	dBA	<75	<75	<75	<75
Fuel Consumption [#]	At 100% Load	4	5.1	5.8	7.6
	At 75% Load	3	3.8	4.4	5.8
	At 50% Load	2.2	2.7	3.2	4.4
Fuel tank capacity	Ltrs	45	65	65	65
Weight of genset with canopy (approx.)	Dry	Kg	810	880	1040
	Wet	Kg	860	930	1090
Overall dimensions of genset [^]	Length	mm	1740	2205	2500
	Width	mm	1050	950	950
	Height	mm	1474	1294	1294
Electrical Battery starting voltage	Volts-DC	12	12	12	12
ENGINE					
Engine Model		HA294 G1	2R1040 G1	3R1040T G1	3R1040T G1
Rated output (Prime Continuous rating as per ISO 8528-1)	kW	15.1	18.8	24	30.9
	HP	20.5	25.5	42	42
No. of cylinder	Number	2	2	3	3
Cubic capacity ²	Ltrs	1.88	2.08	3.12	3.12
Bore x Stroke	mm	100 x 120	105 x 120	105 x 120	105 x 120
Rated Speed	RPM	1500	1500	1500	1500
Aspiration	NA/TC/TA	NA	NA	TC	TC
Lube Oil change period	hrs.	500	500	500	500
Lube oil Sump Capacity	Ltrs	5	5.5	8	8
Coolant Capacity	Ltrs	NA	9	14.5	14.5
ALTERNATOR					
Insulation Class		Class H	Class H	Class H	Class H
Alternator Efficiency (at 100% load) 0.8 pf	%	85.2	88.6	89	87.9
Max Voltage Dip at Full Load 0.8 pf Lag	sec	≤ 20 %	≤ 16 %	≤ 16 %	≤ 16 %
Max Time to build up rated voltage at Rated RPM					

Notes

^ Tolerances Apply

With 0.845 Specific Gravity of diesel (5% Tolerance)

\$ These Weight are for handling & transportation only, ±5 % tolerance apply


* Efficiency of Alternator as per standards IEC60034-1

For Site Conditions other than standard operating conditions consult Kirloskar Oil Engines for available prime power.

+ Silencer inside canopy and bolt-less canopy is available only up-to 62.5kVA

Engine

- Industries most reliable engines, proven over decades
- Low emission, high efficiency engines
- Compact, robust and rugged design
- 500 hours lube-oil change period

**Controller**

- Microprocessor based with graphical LCD display
- Best in class monitoring and diagnostic capability
- Communication configuration enabled

Canopy

- Silencer inside canopy
- Aesthetically designed bolt-less canopy for enhanced product life
- Weather and sound resistant enclosure
- Ease of access and serviceability
- Insulation confirms to UL94-HF1 class for flammability

Alternator

- Best in class efficiency
- Minimum harmonics interference
- Vacuum pressure impregnation
- Epoxy gel coating on the winding

EFFICIENCY. INTEGRATED

A KIRLOSKAR PROMISE

Efficient Products

- India's first IoT enabled digital genset
- Designed for convenient user experience
- Best-in-class fuel efficiency delivered
- Compact design & long life product
- Optimized consumption of lubricant oil
- Optimized total cost of ownership (TCO)
- All products tested before delivery

EFFICIENT PRODUCTS



EFFICIENT SOLUTIONS



Efficient Solutions

- Load sizing for every single genset order
- One stop power back-up solutions
- Serves complete application gamut
- Highly trained & experienced team
- Non-conventional solutions (bio-diesel)
- Specific solution for harsh environments
- Exhaust mgmt., foundation, cabling etc.

Efficient Service

- India's widest service dealer network
- Kirloskar connect-self-service application
- eFSR-Electronic field service report
- Over 6000 trained service engineers
- Over 600,000 machines under care
- 98%+ parts available at each outlet
- Flexible & economical AMC-Bandhan

EFFICIENT SERVICE



EFFICIENT NETWORK



Efficient Network

- Consistent, reliable & long-established
- 250+ expert touch points across India
- 500+ solution oriented professionals
- Uniform customer experience across
- Central system for enquiry to PRF
- Fair trade practices & Price transparency

Efficient Deliveries

- Cost-effective deliveries guaranteed
- Assured 7-day delivery of gensets
- Supports project management system
- Reduced working capital for customer
- Award-winning replenishment model
- Assurance of FRESH products always

EFFICIENT DELIVERIES



EFFICIENT 24X7 CARE



Efficient 24X7 Care

- 24 X 7 operational customer care centre
- Team of over 70 trained & focused exec.
- Tracking every service request till closure
- Centrally maintained CRM for all requests
- Satisfaction call after every SR closure
- Central sales lead tracking system
- Continuous NPS and CDI measurement

Kirloskar
Oil Engines



www.koel.kirloskar.com

Kirloskar Oil Engines Limited

A Kirloskar Group Company

Laxmanrao Kirloskar Road, Khadki,
Pune 411 003 INDIA.

 880 633 4433

koel.helpdesk@kirloskar.com

Contact : 9300723311

Mark bearing word 'Kirloskar' in any form as a suffix or prefix is owned by Kirloskar Proprietary L td. and Kirloskar Oil Engines Ltd. is the Permitted User.
This Catalog is copyrighted and may not be reproduced in any form not even parts of it, without previous written permission by copyright owners, Kirloskar Oil Engines L td.
Product improvement is a continuous process. Kindly contact Kirloskar for latest information.
Images are for illustration purposes only.

**CPCB II
COMPLIANT**

